



## TRANSLYFT Hubtische, Einfachscheren

| Typ       | Kapazität<br>kg | Nutzhub<br>mm | Bauhöhe<br>mm | Gesamt-<br>höhe mm | Länge<br>mm | Breite<br>mm | Hubzeit<br>sek | Motor<br>kW | Gewicht<br>kg |
|-----------|-----------------|---------------|---------------|--------------------|-------------|--------------|----------------|-------------|---------------|
| TR 500    | 500             | 550           | 160           | 710                | 900         | 650          | 8              | 0,37        | 95            |
| TR 1000 A | 1000            | 550           | 160           | 710                | 900         | 650          | 16             | 0,37        | 110           |
| TR 1000   | 1000            | 550           | 160           | 710                | 900         | 900          | 16             | 0,37        | 120           |
| TR 2000 ^ | 2000            | 550           | 200           | 750                | 900         | 900          | 13             | 0,75        | 160           |
| TL 1000   | 1000            | 830           | 180           | 1010               | 1300        | 650          | 18             | 0,75        | 160           |
| TL 1000 B | 1000            | 830           | 180           | 1010               | 1300        | 800          | 18             | 0,75        | 170           |
| TL 1000 F | 1000            | 830           | 180           | 1010               | 1300        | 1000         | 18             | 0,75        | 185           |
| TL 2000   | 2000            | 820           | 210           | 1030               | 1300        | 800          | 27             | 0,75        | 220           |
| TL 2000 F | 2000            | 820           | 210           | 1030               | 1300        | 1000         | 27             | 0,75        | 235           |
| TL 3000   | 3000            | 800           | 240           | 1040               | 1300        | 1000         | 18             | 2,2         | 310           |
| TB 1000   | 1000            | 1000          | 210           | 1210               | 1500        | 800          | 18             | 0,75        | 230           |
| TB 1000 F | 1000            | 1000          | 210           | 1210               | 1500        | 1000         | 18             | 0,75        | 240           |
| TB 2000   | 2000            | 1000          | 210           | 1210               | 1500        | 800          | 20             | 2,2         | 255           |
| TM 1500   | 1500            | 1100          | 230           | 1330               | 1700        | 900          | 22             | 0,75        | 300           |
| TM 1500 B | 1500            | 1100          | 230           | 1330               | 1700        | 1200         | 22             | 0,75        | 345           |
| TM 3000   | 3000            | 1100          | 250           | 1350               | 1700        | 900          | 29             | 2,2         | 400           |
| TM 3000 B | 3000            | 1100          | 250           | 1350               | 1700        | 1200         | 29             | 2,2         | 420           |
| TM 5000   | 5000            | 1100          | 350           | 1450               | 1700        | 900          | 42             | 2,2         | 700           |
| TM 5000 B | 5000            | 1100          | 350           | 1450               | 1700        | 1200         | 42             | 2,2         | 740           |
| TA 1000 A | 1000            | 1400          | 250           | 1650               | 2000        | 900          | 32             | 0,75        | 440           |
| TA 1000   | 1000            | 1400          | 250           | 1650               | 2000        | 1200         | 32             | 0,75        | 485           |
| TA 2000 A | 2000            | 1400          | 250           | 1650               | 2000        | 900          | 35             | 2,2         | 475           |
| TA 2000   | 2000            | 1400          | 250           | 1650               | 2000        | 1200         | 35             | 2,2         | 520           |
| TA 2000 B | 2000            | 1400          | 250           | 1650               | 2000        | 1500         | 35             | 2,2         | 530           |
| TA 2000 R | 2000            | 1400          | 260           | 1660               | 2000        | 2000         | 35             | 2,2         | 590           |

### TRANSLYFT Ergo A/S

Tel. +45 98 86 49 00 • fax +45 98 86 49 09 • [dylvad@translyft.com](mailto:dylvad@translyft.com)  
[www.translyft.com](http://www.translyft.com)



|           |       |      |     |      |      |      |    |     |      |
|-----------|-------|------|-----|------|------|------|----|-----|------|
| TA 4000 B | 4000  | 1300 | 300 | 1600 | 2000 | 1500 | 54 | 3,0 | 880  |
| TA 4000 R | 4000  | 1300 | 300 | 1600 | 2000 | 2000 | 54 | 3,0 | 940  |
| TS 2000   | 2000  | 1500 | 250 | 1750 | 2200 | 1200 | 35 | 2,2 | 535  |
| TS 2000 B | 2000  | 1500 | 250 | 1750 | 2200 | 1500 | 35 | 2,2 | 580  |
| TS 4000   | 4000  | 1500 | 350 | 1850 | 2200 | 1200 | 54 | 3,0 | 840  |
| TS 4000 B | 4000  | 1500 | 350 | 1850 | 2200 | 1500 | 54 | 3,0 | 900  |
| TT 1500   | 1500  | 1650 | 300 | 1950 | 2500 | 800  | 35 | 1,1 | 380  |
| TT 1500 B | 1500  | 1650 | 300 | 1950 | 2500 | 1200 | 35 | 1,1 | 450  |
| TT 3000   | 3000  | 1600 | 350 | 1950 | 2500 | 1000 | 35 | 2,2 | 610  |
| TT 3000 B | 3000  | 1600 | 350 | 1950 | 2500 | 1500 | 35 | 2,2 | 830  |
| TT 3000 R | 3000  | 1600 | 350 | 1950 | 2500 | 2000 | 35 | 2,2 | 950  |
| TT 6000   | 6000  | 1500 | 450 | 1950 | 2500 | 1300 | 55 | 4,0 | 1250 |
| TT 10000  | 10000 | 800  | 500 | 1300 | 2500 | 2000 | 28 | 5,5 | 1870 |
| TX 8000   | 8000  | 1600 | 600 | 2200 | 3000 | 1500 | 60 | 5,5 | 2200 |
| TX 8000 R | 8000  | 1600 | 600 | 2200 | 3000 | 2000 | 60 | 5,5 | 2360 |
| TX 12000  | 12000 | 1600 | 800 | 2400 | 4000 | 2500 | 75 | 5,5 | 3600 |
| TP 3000   | 3000  | 2000 | 400 | 2400 | 3100 | 1500 | 55 | 3,0 | 1100 |
| TP 6000   | 6000  | 2000 | 500 | 2500 | 3100 | 1500 | 75 | 4,0 | 1600 |
| TJ 6000   | 6000  | 3000 | 550 | 3550 | 5000 | 3000 | 72 | 5,5 | 3200 |
| TJ 10000  | 10000 | 3000 | 800 | 3800 | 5000 | 2500 | 80 | 11  | 5000 |

^ Freistehendes Aggregat

**TRANSLYFT Hubtische, Doppelscheren, vertikal**

| Typ      | Kapazität<br>kg | Nutzhub<br>mm | Bauhöhe<br>mm | Gesamt-<br>höhe mm | Länge<br>mm | Breite<br>mm | Hubzeit<br>sek | Motor<br>kW | Gewicht<br>kg |
|----------|-----------------|---------------|---------------|--------------------|-------------|--------------|----------------|-------------|---------------|
| TRD 500  | 500             | 1100          | 270           | 1370               | 900         | 650          | 18             | 0,37        | 140           |
| TLD 1000 | 1000            | 1600          | 375           | 1975               | 1300        | 800          | 30             | 0,75        | 330           |

**TRANSLYFT Ergo A/S**

Tel. +45 98 86 49 00 • fax +45 98 86 49 09 • [dylvad@translyft.com](mailto:dylvad@translyft.com)  
[www.translyft.com](http://www.translyft.com)

15.01.2011

## TRANSLYFT Standard Hubtische



Lifting Technology

|            |       |      |      |      |      |      |     |      |      |
|------------|-------|------|------|------|------|------|-----|------|------|
| TLD 1000 F | 1000  | 1600 | 375  | 1975 | 1300 | 1000 | 30  | 0,75 | 345  |
| TLD 2000   | 2000  | 1600 | 400  | 2000 | 1300 | 900  | 32  | 2,2  | 395  |
| TLD 2000 F | 2000  | 1600 | 400  | 2000 | 1300 | 1000 | 32  | 2,2  | 430  |
| TBD 1000   | 1000  | 1800 | 400  | 2200 | 1500 | 900  | 30  | 2,2  | 450  |
| TBD 1000 B | 1000  | 1800 | 400  | 2200 | 1500 | 1200 | 30  | 2,2  | 480  |
| TBD 2000   | 2000  | 1800 | 400  | 2200 | 1500 | 900  | 42  | 2,2  | 500  |
| TBD 2000 B | 2000  | 1800 | 400  | 2200 | 1500 | 1200 | 42  | 2,2  | 515  |
| TMD 1000   | 1000  | 2150 | 400  | 2550 | 1700 | 900  | 41  | 2,2  | 520  |
| TMD 1000 B | 1000  | 2150 | 400  | 2550 | 1700 | 1200 | 41  | 2,2  | 570  |
| TMD 2000   | 2000  | 2150 | 400  | 2550 | 1700 | 900  | 59  | 2,2  | 545  |
| TMD 2000 B | 2000  | 2150 | 400  | 2550 | 1700 | 1200 | 59  | 2,2  | 600  |
| TMD 3000   | 3000  | 2150 | 440  | 2590 | 1700 | 1200 | 65  | 4,0  | 750  |
| TMD 3000 B | 3000  | 2150 | 440  | 2590 | 1700 | 1500 | 65  | 4,0  | 790  |
| TAD 1000   | 1000  | 2800 | 400  | 3200 | 2000 | 1200 | 49  | 2,2  | 635  |
| TAD 2000   | 2000  | 2800 | 400  | 3200 | 2000 | 1200 | 54  | 3,0  | 660  |
| TSD 1500   | 1500  | 3000 | 450  | 3450 | 2200 | 1300 | 50  | 2,2  | 1100 |
| TTD 3000   | 3000  | 3000 | 600  | 3600 | 2500 | 1300 | 80  | 4,0  | 1500 |
| TPD 10000  | 10000 | 4500 | 1100 | 5600 | 3800 | 2000 | 100 | 11   | 5000 |
| TXD 4000   | 4000  | 4500 | 800  | 5300 | 4000 | 2000 | 80  | 7,5  | 3100 |
| TXD 6000   | 6000  | 4500 | 1000 | 5500 | 4000 | 2500 | 90  | 11,0 | 4800 |



### TRANSLYFT Ergo A/S

Tel. +45 98 86 49 00 • fax +45 98 86 49 09 • [dylvad@translyft.com](mailto:dylvad@translyft.com)  
[www.translyft.com](http://www.translyft.com)



## TRANSLYFT Hubtische, Dreifachscheren, vertikal

| Typ        | Kapazität<br>kg | Nutzhub<br>mm | Bauhöhe<br>mm | Gesamt-<br>höhe mm | Länge<br>mm | Breite<br>mm | Hubzeit<br>sek | Motor<br>kW | Gewicht<br>kg |
|------------|-----------------|---------------|---------------|--------------------|-------------|--------------|----------------|-------------|---------------|
| TRT 500    | 500             | 1500          | 400           | 1900               | 900         | 650          | 16             | 0,37        | 160           |
| TLT 1500   | 1500            | 2400          | 550           | 2950               | 1300        | 900          | 40             | 2,2         | 460           |
| TMT 1500   | 1500            | 3300          | 600           | 3900               | 1700        | 1200         | 65             | 2,2         | 1100          |
| TMT 1500 B | 1500            | 3300          | 600           | 3900               | 1700        | 1500         | 65             | 2,2         | 1150          |
| TST 1500 ^ | 1500            | 4500          | 800           | 5300               | 2400        | 1500         | 42             | 5,5         | 1600          |
| TST 2500   | 2500            | 4500          | 800           | 5300               | 2400        | 1500         | 44             | 7,5         | 2400          |

## TRANSLYFT Hubtische, Doppelscheren, horizontal

| Typ          | Kapazität<br>kg | Nutzhub<br>mm | Bauhöhe<br>mm | Gesamt-<br>höhe mm | Länge<br>mm | Breite<br>mm | Hubzeit<br>sek | Motor<br>kW | Gewicht<br>kg |
|--------------|-----------------|---------------|---------------|--------------------|-------------|--------------|----------------|-------------|---------------|
| TRH 1000     | 1000            | 550           | 160           | 710                | 1800        | 650          | 16             | 0,37        | 210           |
| TLH 2000 A   | 2000            | 830           | 180           | 1010               | 2600        | 650          | 36             | 0,75        | 290           |
| TLH 2000     | 2000            | 830           | 180           | 1010               | 2600        | 800          | 36             | 0,75        | 310           |
| TLH 4000     | 4000            | 820           | 210           | 1030               | 2600        | 800          | 54             | 0,75        | 440           |
| TBH 2000     | 2000            | 1100          | 210           | 1210               | 3000        | 800          | 36             | 0,75        | 460           |
| TBH 2000 F   | 2000            | 1100          | 210           | 1210               | 3000        | 1000         | 36             | 0,75        | 480           |
| TMH 3000     | 3000            | 1100          | 230           | 1330               | 3400        | 900          | 44             | 0,75        | 550           |
| TMH 3000 B   | 3000            | 1100          | 230           | 1330               | 3400        | 1200         | 44             | 0,75        | 590           |
| TMH 6000     | 6000            | 1100          | 250           | 1350               | 3400        | 900          | 50             | 2,2         | 775           |
| TAH 2000 A   | 2000            | 1400          | 250           | 1650               | 4000        | 900          | 35             | 2,2         | 755           |
| TAH 2000     | 2000            | 1400          | 250           | 1650               | 4000        | 1200         | 35             | 2,2         | 845           |
| TAH 4000 A   | 4000            | 1400          | 250           | 1650               | 4000        | 900          | 70             | 2,2         | 920           |
| TAH 4000     | 4000            | 1400          | 250           | 1650               | 4000        | 1200         | 70             | 2,2         | 1010          |
| TAH 8000 B ^ | 8000            | 1300          | 300           | 1600               | 4000        | 1500         | 108            | 3,0         | 1680          |

### TRANSLYFT Ergo A/S

Tel. +45 98 86 49 00 • fax +45 98 86 49 09 • [dylvad@translyft.com](mailto:dylvad@translyft.com)  
[www.translyft.com](http://www.translyft.com)

15.01.2011

## TRANSLYFT Standard Hubtische



Lifting Technology

|              |      |      |     |      |      |      |     |     |      |
|--------------|------|------|-----|------|------|------|-----|-----|------|
| TAH 8000 R ^ | 8000 | 1300 | 300 | 1600 | 4000 | 2000 | 108 | 3,0 | 1800 |
| TSH 4000     | 4000 | 1500 | 250 | 1750 | 4400 | 1200 | 70  | 2,2 | 920  |
| TSH 8000     | 8000 | 1500 | 350 | 1850 | 4400 | 1200 | 108 | 3,0 | 1550 |
| TTH 3000 B   | 3000 | 1650 | 300 | 1950 | 5000 | 1200 | 40  | 2,2 | 1100 |
| TTH 6000     | 6000 | 1600 | 350 | 1950 | 5000 | 1300 | 55  | 3,0 | 2000 |

^ Freistehendes Aggregat



## TRANSLYFT Hubtische, Superflach, ohne Rampe

| Typ         | Kapazität<br>kg | Nutzhub<br>mm | Bauhöhe<br>mm | Gesamt-<br>höhe mm | Länge<br>mm | Breite<br>mm | Hubzeit<br>sek | Motor<br>kW | Gewicht<br>kg |
|-------------|-----------------|---------------|---------------|--------------------|-------------|--------------|----------------|-------------|---------------|
| TCB 600 K   | 600             | 545           | 85            | 630                | 1200        | 800          | 12             | 0,75        | 220           |
| TCB 1000    | 1000            | 715           | 85            | 800                | 1500        | 800          | 12             | 0,75        | 250           |
| TCB 1000 F  | 1000            | 715           | 85            | 800                | 1500        | 1000         | 12             | 0,75        | 275           |
| TCB 1000 X  | 1000            | 895           | 85            | 980                | 1500        | 800          | 15             | 1,1         | 230           |
| TCB 1000 XF | 1000            | 895           | 85            | 980                | 1500        | 1000         | 15             | 1,1         | 255           |
| TCB 1500    | 1500            | 715           | 85            | 800                | 1500        | 800          | 15             | 1,1         | 300           |
| TCB 1500 F  | 1500            | 715           | 85            | 800                | 1500        | 1000         | 15             | 1,1         | 320           |
| TCB 1500 X  | 1500            | 895           | 85            | 980                | 1500        | 800          | 19             | 1,1         | 270           |
| TCB 1500 XF | 1500            | 895           | 85            | 980                | 1500        | 1000         | 19             | 1,1         | 290           |
| TCB 2000    | 2000            | 700           | 100           | 800                | 1500        | 800          | 16             | 1,1         | 300           |
| TCB 2000 F  | 2000            | 700           | 100           | 800                | 1500        | 1000         | 16             | 1,1         | 350           |

**TRANSLYFT Ergo A/S**

Tel. +45 98 86 49 00 • fax +45 98 86 49 09 • [dylvad@translyft.com](mailto:dylvad@translyft.com)  
[www.translyft.com](http://www.translyft.com)

**Rampe für TCB Superflach**

TCB 1000/1500 600 x 800 mm (L x B)

TCB 2000 800 x 800 mm (L x B)

**TRANSLYFT Hubtische, superflach, doppel horizontal, ohne Rampe**

| Typ          | Kapazität<br>kg | Nutzhub<br>mm | Bauhöhe<br>mm | Gesamt-<br>höhe mm | Länge<br>mm | Breite<br>mm | Hubzeit<br>sek | Motor<br>kW | Gewicht<br>kg |
|--------------|-----------------|---------------|---------------|--------------------|-------------|--------------|----------------|-------------|---------------|
| TCBH 1200    | 1200            | 545           | 85            | 630                | 2400        | 800          | 24             | 0,75        | 400           |
| TCBH 2000    | 2000            | 715           | 85            | 800                | 3000        | 800          | 24             | 0,75        | 455           |
| TCBH 2000 F  | 2000            | 715           | 85            | 800                | 3000        | 1000         | 24             | 0,75        | 505           |
| TCBH 2000 X  | 2000            | 895           | 85            | 980                | 3000        | 800          | 30             | 1,1         | 415           |
| TCBH 2000 XF | 2000            | 895           | 85            | 980                | 3000        | 1000         | 30             | 1,1         | 465           |
| TCBH 3000    | 3000            | 715           | 85            | 800                | 3000        | 800          | 30             | 1,1         | 560           |
| TCBH 3000 F  | 3000            | 715           | 85            | 800                | 3000        | 1000         | 30             | 1,1         | 600           |
| TCBH 3000 X  | 3000            | 895           | 85            | 980                | 3000        | 800          | 38             | 1,1         | 510           |
| TCBH 3000XF  | 3000            | 895           | 85            | 980                | 3000        | 1000         | 38             | 1,1         | 560           |

**TRANSLYFT Ergo A/S**

Tel. +45 98 86 49 00 • fax +45 98 86 49 09 • [dylvad@translyft.com](mailto:dylvad@translyft.com)  
[www.translyft.com](http://www.translyft.com)

## TRANSLYFT Hubtische, superflach, E- und U-förmig

| Typ        | Kapazität<br>kg | Nutzhub<br>mm | Bauhöhe<br>mm | Gesamt-<br>höhe mm | Länge<br>mm | Breite<br>mm | Hubzeit<br>sek | Motor<br>kW | Gewicht<br>kg |
|------------|-----------------|---------------|---------------|--------------------|-------------|--------------|----------------|-------------|---------------|
| TEB 600    | 600             | 715           | 85            | 800                | 1450        | 900          | 13             | 0,75        | 190           |
| TUB 600 K  | 600             | 545           | 85            | 630                | 1200        | 1085         | 12             | 0,75        | 210           |
| TUB 1000   | 1000            | 715           | 85            | 800                | 1450        | 1085         | 12             | 0,75        | 235           |
| TUB 1000 X | 1000            | 895           | 85            | 980                | 1450        | 1000         | 15             | 1,1         | 205           |
| TUB 2000   | 2000            | 700           | 100           | 800                | 1500        | 1200         | 16             | 1,1         | 350           |

Alle superflachen Hubtische haben ein freistehendes Aggregat.



## TRANSLYFT palettenlift

|           |                                 |    |      |     |
|-----------|---------------------------------|----|------|-----|
| TSL9-1000 | für standard EUR-paletten       | 20 | 0,75 | 250 |
| TSLN-9    | 40° kipp, Links/rechts          | 20 | 0,75 | 295 |
| TSL       | Mast, ohne Gabel und Stützbeine | 20 | 0,75 | 125 |



### TRANSLYFT Ergo A/S

Aalborgvej 321 • DK-9352 Dybvad • Dänemark  
 Tel. +45 98 86 49 00 • fax +45 98 86 49 09 • dybvad@translyft.com  
 www.translyft.com